

[Sign in](#)[Google](#)[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)[Advanced Search](#)
[Preferences](#)**Web**Results 1 - 10 of about 458 for **interactionSpec set property "resource adapter"**. (0.50 seconds)**Sun ONE Connector Builder 2.0 Developer's Guide: Modifying the ...**

The **resource adapter** definitions can be modified by either launching the appropriate **Property Editor** directly from the contextual menu or by choosing ...

[docs.sun.com/source/817-0540-10/Ch_04_mo.html](#) - 41k - [Cached](#) - [Similar pages](#)

Sun ONE Connector Builder 2.0 Developer's Guide: Creating the ...

An **InteractionSpec** represents the way an EIS API method can be called ... Indicates **properties** whose values can be **set** at run-time by users of the adapter. ...

[docs.sun.com/source/817-0540-10/Ch_03_cr.html](#) - 55k - [Cached](#) - [Similar pages](#)

[[More results from docs.sun.com](#)]

Setting InteractionSpec properties

In the **InteractionSpec properties** for your Java method field, ... TPN Transaction under which you want all programs started by the **resource adapter** to run. ...

[publib.boulder.ibm.com/.../radhelp/v6r0m1/](#)

[topic/com.ibm.etools.j2c.doc/topics/tsavingdatabaseanproperties.html](#) - 7k -

[Cached](#) - [Similar pages](#)

Overview of the programming interface of the J2EE Connector ...

As with the Connection, Interactions can have custom **properties set** by the CICS-specific **InteractionSpec** class (ECInteractionSpec or EPIInteractionSpec). ...

[publib.boulder.ibm.com/infocenter/cicstg/](#)

[v6r1m0/topic/com.ibm.cics.tg.doc/cclao/cclaom0035.htm](#) - 11k - [Cached](#) - [Similar pages](#)

[[More results from publib.boulder.ibm.com](#)]

Common Client Interface

InteractionSpec : Holds **properties** pertaining to an application ... the execute method: the **InteractionSpec** object with the correctly **set properties** for the ...

[java.sun.com/j2ee/tutorial/1_3-fcs/doc/Connector5.html](#) - 42k - [Cached](#) - [Similar pages](#)

Using the J2EE Connector Architecture Common Client Interface

Connection Represents a connection (using the **resource adapter**) to an EIS ... method: the **InteractionSpec** object with the correctly **set properties** for the ...

[java.sun.com/developer/technicalArticles/J2EE/connectorclient/index.html](#) - 51k -

[Cached](#) - [Similar pages](#)

BEA WebLogic Integration documentation: Package com.bea.adapter.cci

The CCI specification defines a **set** of standard **properties** for an **InteractionSpec**. An **InteractionSpec** implementation is not required to support a standard ...

[edocs.bea.com/wli/docs70/classdocs/com/bea/adapter/cci/package-summary.html](#) - 39k -

[Cached](#) - [Similar pages](#)

WSDL J2C Extension

The interaction **properties** to be **set** on an **InteractionSpec**. ... The element that a **Resource Adapter** must implement is the dynamic provider. ...

[ws.apache.org/wsif/providers/wSDL_extensions/j2c_extension.html](#) - 35k -

[Cached](#) - [Similar pages](#)

Object Computing, Inc. - Java News Brief - May 2002

The JCA Common Client Interface (CCI) is a **set** of interfaces providing a framework for

basic interaction with a **Resource Adapter**. An adapter that supports ...
www.ociweb.com/jnb/jnbMay2002.html - 31k - [Cached](#) - [Similar pages](#)

Implementing Interaction Functions (SAP Library - Development Manual)

A **resource adapter** that implements the interaction-related interfaces from the ... The **InteractionSpec** is used to provide the **properties** for driving an ...

help.sap.com/saphelp_nw04/helpdata/en/e1/64861cdc574cb28ae4ea3cf95f60ca/content.htm - 17k - [Cached](#) - [Similar pages](#)

Result Page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) **Next**

Get organized for the new year with [Google Desktop](#).

interactionSpec set property "resour	Search
--------------------------------------	--------

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2007 Google

[Sign in](#)

Google

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

interactionSpec set property "resource adapter" Search

[Advanced Search](#)
[Preferences](#)**Web**

Results 1 - 10 of about 458 for interactionSpec set property "resource adapter". (0.50 seconds)

[Sun ONE Connector Builder 2.0 Developer's Guide: Modifying the ...](#)

The **resource adapter** definitions can be modified by either launching the appropriate **Property** Editor directly from the contextual menu or by choosing ...

[docs.sun.com/source/817-0540-10/Ch_04_mo.html](#) - 41k - [Cached](#) - [Similar pages](#)

[Sun ONE Connector Builder 2.0 Developer's Guide: Creating the ...](#)

An **InteractionSpec** represents the way an EIS API method can be called ... Indicates **properties** whose values can be **set** at run-time by users of the adapter. ...

[docs.sun.com/source/817-0540-10/Ch_03_cr.html](#) - 55k - [Cached](#) - [Similar pages](#)

[[More results from docs.sun.com](#)]

[Setting InteractionSpec properties](#)

In the **InteractionSpec properties** for your Java method field, ... TPN Transaction under which you want all programs started by the **resource adapter** to run. ...

[publib.boulder.ibm.com/.../radhelp/v6r0m1/](#)

[topic/com.ibm.etools.j2c.doc/topics/tsavingdatabaseanproperties.html](#) - 7k -

[Cached](#) - [Similar pages](#)

[Overview of the programming interface of the J2EE Connector ...](#)

As with the Connection, Interactions can have custom **properties set** by the CICS-specific **InteractionSpec** class (ECIInteractionSpec or EPIInteractionSpec). ...

[publib.boulder.ibm.com/infocenter/cicstg/](#)

[v6r1m0/topic/com.ibm.cics.tg.doc/cclao/cclaom0035.htm](#) - 11k - [Cached](#) - [Similar pages](#)

[[More results from publib.boulder.ibm.com](#)]

[Common Client Interface](#)

InteractionSpec : Holds **properties** pertaining to an application ... the execute method: the **InteractionSpec** object with the correctly **set properties** for the ...

[java.sun.com/j2ee/tutorial/1_3-fcs/doc/Connector5.html](#) - 42k - [Cached](#) - [Similar pages](#)

[Using the J2EE Connector Architecture Common Client Interface](#)

Connection Represents a connection (using the **resource adapter**) to an EIS ... method: the **InteractionSpec** object with the correctly **set properties** for the ...

[java.sun.com/developer/technicalArticles/J2EE/connectorclient/index.html](#) - 51k -

[Cached](#) - [Similar pages](#)

[BEA WebLogic Integration documentation: Package com.bea.adapter.cci](#)

The CCI specification defines a **set** of standard **properties** for an **InteractionSpec**. An **InteractionSpec** implementation is not required to support a standard ...

[edocs.bea.com/wli/docs70/classdocs/com/bea/adapter/cci/package-summary.html](#) - 39k -

[Cached](#) - [Similar pages](#)

[WSDL J2C Extension](#)

The interaction **properties** to be **set** on an **InteractionSpec**. ... The element that a **Resource Adapter** must implement is the dynamic provider. ...

[ws.apache.org/wsif/providers/wSDL_extensions/j2c_extension.html](#) - 35k -

[Cached](#) - [Similar pages](#)

[Object Computing, Inc. - Java News Brief - May 2002](#)

The JCA Common Client Interface (CCI) is a **set** of interfaces providing a framework for

basic interaction with a **Resource Adapter**. An adapter that supports ...

www.ociweb.com/jnb/jnbMay2002.html - 31k - [Cached](#) - [Similar pages](#)

Implementing Interaction Functions (SAP Library - Development Manual)

A **resource adapter** that implements the interaction-related interfaces from the ... The

InteractionSpec is used to provide the **properties** for driving an ...

[help.sap.com/saphelp_nw04/helpdata/](http://help.sap.com/saphelp_nw04/helpdata/en/e1/64861cdc574cb28ae4ea3cf95f60ca/content.htm)

en/e1/64861cdc574cb28ae4ea3cf95f60ca/content.htm - 17k - [Cached](#) - [Similar pages](#)

Result Page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [Next](#)

Get organized for the new year with [Google Desktop](#).

interactionSpec set property "resour	Search
--------------------------------------	--------

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied?](#) [Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2007 Google

[Sign in](#)

Google

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

"java connector architecture" interactionSpec connectionSpec set property "resource adapter" [Advanced Search](#)
[Preferences](#)

Web Results 1 - 10 of about 36 for "[java connector architecture](#)" [interactionSpec](#) [connectionSpec](#) [set](#) [property](#) "[resource](#)

[Object Computing, Inc. - Java News Brief - May 2002](#)

For example, **ConnectionSpec** utilizes the standard **properties** **UserName** and **Password** to ... **InteractionSpec** is used to define the function to invoke on the ...
[www.ociweb.com/jnb/jnbMay2002.html](#) - 31k - [Cached](#) - [Similar pages](#)

[Application Integration with Legacy Systems Using Java Connector ...](#)

InteractionSpec* **ConnectionSpec*** (Other metadata interfaces) ... The application server maintains a candidate **set** of **ManagedConnection** instances that it ...
[developers.sun.com/sw/building/codesamples/integration_jca.html](#) - 44k - [Cached](#) - [Similar pages](#)

[Chapter 21. JCA CCI](#)

If the adapter's **connectionSpec** **property** is specified, the adapter uses the **getConnection** ... **Record** **execute**(**InteractionSpec**, **RecordCreator**), not **set** ...
[www.springframework.org/docs/reference/cci.html](#) - 55k - [Cached](#) - [Similar pages](#)

[Chapter 20. JCA CCI](#)

Some of the **ConnectionSpec** **properties** can often be configured in the application server (in ... **Record** **execute**(**InteractionSpec**, **RecordCreator**), not **set** ...
[static.springframework.org/spring/docs/1.2.x/reference/cci.html](#) - 52k - [Cached](#) - [Similar pages](#)

[WebSphere Adapter for Flat Files](#)

Overview: Deployment Overview: Deployment **Resource Adapter** Custom **Properties** to **set** J2C Activation Specification Select message listener, custom **properties** ...
[publib.boulder.ibm.com/.../topic/com.ibm.iea.wpi_v6/wa/6.0/FlatFile/WPSWIDv6_AdapterFlatFile/player.html](#) - 28k - [Cached](#) - [Similar pages](#)

[Overview](#)

All adapters are strongly encouraged to use this **InteractionSpec** class. ... The JCA **properties** for the **Resource Adapter**, **Managed Connection Factory** for ...
[publib.boulder.ibm.com/.../topic/com.ibm.iea.wa_v6/wa/6.0.2/Overview/WPIv602_Adapter_Overview/player.html](#) - 48k - [Cached](#) - [Similar pages](#)
[[More results from publib.boulder.ibm.com](#)]

[cci JCA CCI cci-introduction Introduction J2EE provides a ...](#)

If the adapter's **connectionSpec** **property** is specified, the adapter uses the ... center **Record** **execute**(**InteractionSpec**, **Record**) center not **set** center **Record** ...
[fisheye1.cenqua.com/browse/~raw,r=1.6/springframework/spring/docs/reference/src/cci.xml](#) - 24k - [Cached](#) - [Similar pages](#)

[Exposing J2C interface **properties** - Patent 20050022205](#)

"**interactionSpec**" and "**connectionSpec**" are Java 2 Enterprise Edition **Java Connector Architecture** interfaces. Their **properties** are exposed as data in WSIF ...
[www.freepatentsonline.com/20050022205.html](#) - 37k - [Cached](#) - [Similar pages](#)

[\[PDF\] COPYRIGHTED MATERIAL](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

set **property** methods for, 184. IDL, 579–580. of XML elements, 365–366 ...
ConnectionSpec interface, 744, 750. consistency of transactions, 687–688 ...

media.wiley.com/product_data/excerpt/55/07821414/0782141455-2.pdf - [Similar pages](#)

[PDF] An Introduction to the J2EE Connector Architecture

File Format: PDF/Adobe Acrobat - [View as HTML](#)

properties required by **resource adapter** for message inflow ... constructor and add the connection to the associated **set**. – **associateConnection** should **set** ...

www.websphereusergroup.org.uk/downloads/05nov/Introduction%20to%20JCA.pdf -

[Similar pages](#)

Result Page: 1 2 3 **Next**

Download [Google Pack](#): free essential software for your PC

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2007 Google